



To adjust CMLR concern re subhead being too close to the head, please set the subhead like this and create as much space between the head and subhead as possible (but still looking good).

**AZSTARYS:**

The first and only ADHD treatment of its kind.  
Helps control ADHD symptoms throughout the day.

# A Consistent Day Can Make All the Difference

**AZSTARYS**—The first and only ADHD treatment of its kind. Helps control ADHD symptoms throughout the day.

## What is AZSTARYS?

AZSTARYS is a central nervous system (CNS) stimulant prescription medicine for the treatment of Attention Deficit Hyperactivity Disorder (ADHD) in people 6 years of age and older.

## IMPORTANT SAFETY INFORMATION

**AZSTARYS is a federally controlled substance (CII) because it can be abused or lead to dependence. Keep AZSTARYS in a safe place to prevent misuse and abuse. Selling or giving away AZSTARYS may harm others and is against the law.**

**Please see Important Safety Information throughout and the accompanying full Prescribing Information and Medication Guide.**

# How AZSTARYS Is Different

**AZSTARYS is the first and only ADHD treatment of its kind.**

**AZSTARYS has 2 forms of medicine in 1 capsule.**

## **Dexmethylphenidate**

(deks-meth-uhl-fen-uh-date),  
or d-MPH

Rapidly provides the body  
with medicine

## **Serdexmethylphenidate**

(sur-deks-meth-uhl-fen-uh-date),  
or SDX

A new way to provide a steady  
amount of medicine  
throughout the day

Insert "quickly"  
after "working"

**AZSTARYS works in 3 ways.**



Starts working  
after it's taken  
in the morning



Helps provide  
consistent  
improvement  
of ADHD



Wears off  
gradually



## **IMPORTANT SAFETY INFORMATION (continued)**

Tell your healthcare provider if you or your child have ever abused or been dependent on alcohol, prescription medicines, or street drugs.

## **IMPORTANT SAFETY INFORMATION (continued)**

### **Who should not take AZSTARYS?**

**Do not take AZSTARYS if you or your child are:**

- allergic to serdexmethylphenidate, methylphenidate, or any of the ingredients in AZSTARYS.
- taking or have stopped taking within the past 14 days a medicine used to treat depression called a monoamine oxidase inhibitor (MAOI).

**Please see Important Safety Information throughout and the accompanying full Prescribing Information and Medication Guide.**

# What AZSTARYS Does

**AZSTARYS provides control of ADHD symptoms throughout the day.**


**AZSTARYS helped improve:**

## Attention



For example:  
Finishing tasks, keeping track of time, following directions

## Hyperactivity



For example:  
Sitting still, playing quietly, staying seated during class

## Impulsiveness



For example:  
Taking turns, waiting in line, waiting for permission to use other people's things



## IMPORTANT SAFETY INFORMATION (continued)

**Serious problems can occur while taking AZSTARYS.**  
**Tell your healthcare provider:**

- if you or your child have heart problems, heart defects, high blood pressure, or a family history of these problems.

A study was done to test how AZSTARYS affected ADHD symptoms in children. The study included 150 children with ADHD, aged 6 to 12 years.

About half received  
**AZSTARYS**

The others received  
a sugar pill (also  
called a *placebo*)

The children spent  
a 13-hour day in a  
mock classroom

## IMPORTANT SAFETY INFORMATION (continued)

**Serious problems can occur while taking AZSTARYS.**

**Tell your healthcare provider: (continued)**

Sudden death has occurred in people with heart problems or defects taking stimulant medicines. Sudden death, stroke and heart attack have happened in adults taking stimulant medicines. Your doctor should check you or your child carefully for heart problems before starting AZSTARYS. Since increases in blood pressure and heart rate may occur, the doctor should regularly check these during treatment. **Call your healthcare provider right away or go to the nearest hospital emergency room if you or your child have any signs of heart problems such as chest pain, shortness of breath, or fainting while taking AZSTARYS.**

**Please see Important Safety Information throughout and the accompanying full Prescribing Information and Medication Guide.**

# How to Take AZSTARYS

Take AZSTARYS exactly as prescribed.

There are 3 different options for taking AZSTARYS as part of the morning routine.



Swallow whole

An AZSTARYS capsule can be swallowed whole with water or other liquids.

OR



Sprinkle into water

The capsule can be opened and its contents can be sprinkled into 2 ounces of water.

OR



Sprinkle onto applesauce

The contents can be sprinkled onto 2 tablespoons of applesauce.

AZSTARYS can be taken with or without food.

All of the applesauce or water mixture should be swallowed within 10 minutes. Do not store the applesauce or water mixture.

## IMPORTANT SAFETY INFORMATION (continued)

**Serious problems can occur while taking AZSTARYS.**  
**Tell your healthcare provider: (continued)**

- if you or your child have mental (psychiatric) problems, or a family history of suicide, bipolar illness, or depression.

## How big is the AZSTARYS capsule?

- AZSTARYS is a small capsule
  - It's slightly smaller than a toasted oat ring
- AZSTARYS comes in 3 dosage strengths
  - Each dosage strength is a different color
  - All the capsules are the same size

We'll need to use something small for size comparison. Maybe a nut or a raisin, if there's a consistent size. Let's talk about options.



## IMPORTANT SAFETY INFORMATION (continued)

**Serious problems can occur while taking AZSTARYS.**  
**Tell your healthcare provider: (continued)**

New or worse behavior and thought problems or new or worse bipolar illness may occur. New psychotic symptoms (such as seeing or hearing things that are not real, believing things that are not true, being suspicious) or new manic symptoms may occur. **Call your healthcare provider right away if there are any new or worsening mental symptoms or problems during treatment.**

**Please see Important Safety Information throughout and the accompanying full Prescribing Information and Medication Guide.**

# Safety Information About AZSTARYS

- As with all prescription medicines, AZSTARYS has side effects. The side effects of AZSTARYS are similar to the side effects of other long-lasting treatments with methylphenidate
- The most common side effects of AZSTARYS include:
  - decreased appetite
  - nausea
  - indigestion
  - weight loss
  - dizziness
  - mood swings
  - increased blood pressure
  - trouble sleeping
  - vomiting
  - stomach pain
  - anxiety
  - irritability
  - increased heart rate

- Sometimes your child's doctor may stop AZSTARYS treatment for a while.  
This helps the doctor check your child's ADHD symptoms
- Your child's doctor may check your child's blood, heart, and blood pressure during treatment with AZSTARYS
- Your child's height and weight should also be checked often during treatment with AZSTARYS. AZSTARYS treatment may be stopped if a problem is found during these checkups



**In case of poisoning**, call your poison control center at **1-800-222-1222** right away or go to the nearest hospital emergency room.



# CoriumCares™ Is Here to Help



**Corium**  
*Cares*

**CoriumCares provides helpful support throughout the AZSTARYS treatment journey.**

To align with Get Started Brochure, replace highlighted copy with:  
your child's

## IMPORTANT SAFETY INFORMATION (continued)

**Serious problems can occur while taking AZSTARYS. Tell your healthcare provider: (continued)**

- if you or your child develop painful and prolonged erections (priapism), seek medical help right away. Priapism has occurred with methylphenidate (AZSTARYS). Because priapism can cause long-lasting damage, it should be checked by a healthcare professional right away.

  
serdexmethylphenidate  
and dexamethylphenidate  
26.1/5.2mg • 39.2/7.8mg • 52.3/10.4mg capsules

To show this is a 2-step process, can we use icons (or just more prominent font) of "1" and "2"? Step 2 is "Bring the card"; step 1 is everything else.

If you're eligible, CoriumCares may be able to help with the cost of AZSTARYS.



Print the  
savings card

**OR**



Save the card  
on your phone

**OR**



Take a  
screenshot

Bring the card and your AZSTARYS prescription to your pharmacy.

## IMPORTANT SAFETY INFORMATION (continued)

**Serious problems can occur while taking AZSTARYS. Tell your healthcare provider: (continued)**

- if you or your child have circulation problems in fingers and toes (called peripheral vasculopathy, including Raynaud's phenomenon). Fingers or toes may feel numb, cool, painful, sensitive to temperature, and/or change color from pale, to blue, to red. **Call your healthcare provider right away if any signs of unexplained wounds appear on fingers or toes while taking AZSTARYS.**

**Please see Important Safety Information throughout and the accompanying full Prescribing Information and Medication Guide.**

## IMPORTANT SAFETY INFORMATION (continued)

### Serious problems can occur while taking AZSTARYS. Tell your healthcare provider: (continued)

- if your child is having slowing of growth (height and weight). Your child should have his or her height and weight checked often while taking AZSTARYS.
- if you or your child are pregnant or plan to become pregnant. It is not known if AZSTARYS may harm your unborn baby.
- if you or your child are breastfeeding or plan to breastfeed. AZSTARYS passes into breast milk. Talk to your healthcare provider about the best way to feed your baby if you take AZSTARYS.

### What are possible side effects of AZSTARYS?

The most common side effects of AZSTARYS include:

- decreased appetite
- nausea
- indigestion
- weight loss
- dizziness
- mood swings
- increased blood pressure
- trouble sleeping
- vomiting
- stomach pain
- anxiety
- irritability
- increased heart rate

These are not all the possible side effects of AZSTARYS. Call your doctor for medical advice about side effects.

## IMPORTANT SAFETY INFORMATION (continued)

### What is AZSTARYS?

AZSTARYS is a central nervous system (CNS) stimulant prescription medicine for the treatment of Attention Deficit Hyperactivity Disorder (ADHD) in people 6 years of age and older. AZSTARYS may help increase attention and decrease impulsiveness and hyperactivity in people with ADHD.

**Please see Important Safety Information throughout and the accompanying full Prescribing Information and Medication Guide.**

**You are encouraged to report negative side effects of prescription drugs to the FDA. Visit [www.fda.gov/medwatch](http://www.fda.gov/medwatch), or call 1-800-FDA-1088.**





# A Consistent Day Can Make All the Difference

For more information, please visit [www.AZSTARYS.com](http://www.AZSTARYS.com).

**AZSTARYS is the first and only medicine of its kind.**

- AZSTARYS provides control of ADHD symptoms throughout the day
- Once-daily AZSTARYS can be swallowed whole or sprinkled in water or on applesauce
- If you're eligible, CoriumCares™ may help with the cost of the AZSTARYS prescription

**Talk with your child's doctor to see if AZSTARYS may be the right treatment for your child.**

## **IMPORTANT SAFETY INFORMATION** (continued)

### **What is AZSTARYS?**

AZSTARYS is a central nervous system (CNS) stimulant prescription medicine for the treatment of Attention Deficit Hyperactivity Disorder (ADHD) in people 6 years of age and older. AZSTARYS may help increase attention and decrease impulsiveness and hyperactivity in people with ADHD.

**Corium**

©2021 Corium Inc. All Rights Reserved.

COM-AZS-000283 03/21



**azstarys**™  
serdexmethylphenidate  
and dexmethylphenidate  
26.1/5.2mg • 39.2/7.8mg • 52.3/10.4mg capsules